hp omnibook xe3 notebook PC Whether you run your own business or work for a large enterprise, you need a notebook PC that helps you stay on top of it all. That's why HP created the HP Omnibook XE3 — a convenient, reliable notebook PC that comes with everything you need to do business . . . and have a little fun, too. Like all HP notebook PCs, the Omnibook XE3 is built to provide anywhere, anytime mobile computing for today's mobile businesses. And it's from the company that understands businesses — no matter what size — better than any other: HP.



maximum value,

convenience,

and reliability in

a notebook PC

superb value

- get the performance you need for demanding business applications and presentations with the Mobile Intel® Pentium® III Processor-M or Intel Mobile Celeron™ processor
- work faster with increased memory: up to 1024 MB
- boost graphics performance with a new, shared-memory architecture that allows main system memory to be shared with video, based on application demands
- · keep working with up to four hours of battery life
- stay in style: sleek new industrial design with silver accents
- digital video: optional IEEE 1394 port lets you quickly transfer digital video to your notebook
- save effort: instantly activate or deactivate touch pad and avoid accidental typing with on/off button
- make management easy with HP Toptools
- keep PC and data safe with multiple security features

all-in-one convenience

- stay productive: everything you need is built right in, including CD-ROM, DVD-ROM, CD-RW, or DVD+CD-RW combo drive; floppy disk drive; and a modem/LAN combination
- stay connected: built-in modem, LAN, and wireless accessories make it easy!
- work fast: connect to the Web, boot your PC, access your favourite applications, start up a DVD

 just by pressing one of four customisable, one-touch, quick-launch buttons
- stay tuned: the HP Omnibook XE3's front-panel CD player controls let you enjoy music even when the PC is closed and turned off (not available on L models)
- choose your operating system: preloaded Microsoft® Windows® XP Home Edition or Professional Edition (Windows 2000 on recovery CD)



reliable mobility

Like all HP notebook PCs, the HP Omnibook XE3 delivers:

- reliable mobility with performance you can count on
- manageability to save your users and IT department time and money
- **security** to protect both your physical and data investments
- global support to help you detect and resolve issues without leaving your desk
- usability with convenient, expandable designs













at a glance

new technology highlights

- 933-MHz to 1.13-GHz Mobile Intel Pentium III Processor-M, featuring Intel SpeedStep[™] technology¹, or 933-MHz to 1.06-GHz Intel Mobile Celeron processor
- 128, or 256 MB of 133-MHz SDRAM standard (PC133)
- Maximum system memory 1024 MB
- Industry-standard 30-, 20-, or 10-GB Enhanced-IDE hard disk drive² and floppy disk drive
- Built-in CD-ROM, DVD-ROM, CD-RW, or DVD+CD-RW combo drive
- Intel 830MG graphics controller
- 8–48 MB of video memory (shared with main system memory and dynamically allocated, based on application needs)
- Integrated 56-Kbps³ modem⁴ + Ethernet 10/100 LAN or integrated 56-Kbps, V.90-compatible, worldwide-capable modem⁴
- Microsoft Windows XP Home Edition or Professional Edition (with Microsoft Windows 2000 on recovery CD)

weight

- 3.36 kg (7.4 lb) to 3.45 kg (7.6 lb) with 14.1" display
- 3.49 kg (7.7 lb) to 3.58 kg (7.9 lb) with 15" display

dimensions

- $33.10 \times 27.33 \times 4.04$ cm ($13.03 \times 10.76 \times 1.59$ in) with 14.1" display
- 33.10 x 27.61 x 4.14 cm (13.03 x 10.87 x 1.63 in) with 15" display
- Dual-speed processor; runs full speed from AC power, reduced speeds from battery operation.
- ² GB means 1 billion bytes for hard drive sizes.
- ³ 56Kbps refers to server download speed only. Download speeds of 56Kbps are currently unavailable in the U.S.; upload speeds are limited to 33.6 Kbps. Maximum transmission rates will vary according to line conditions and country regulations.
- 4 Not available in Japan.

HP PCs use genuine Microsoft® Windows® http://www.microsoft.com/piracy/howtotell

¹ Not available on L models.

hp omnibook xe3 configurations and models

product number	model	CPU	memory	display	hard disk drive ¹	CD/DVD	video	communications	battery	operating system ²	warranty
Standard S	KUs — WW	/ Omnibook									
F3946	XE3	Celeron 933-MHz	128 MB	14.1" XGA TFT	10 GB	24X max CD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3944	XE3L	Celeron 933-MHz	128 MB	14.1" XGA TFT	10 GB	24X max CD	8–48 MB	Built-in 56K modem/LAN	NiMH	Win XP HE/Pro	1-year
F3947	XE3L	Celeron 933-MHz	128 MB	14.1" XGA TFT	10 GB	8X max DVD	8–48 MB	Built-in 56K modem/LAN	NiMH	Win XP HE/Pro	1-year
F3455	XE3L	Celeron 1.06-GHz	128 MB	14.1" XGA TFT	10 GB	24X max CD	8–48 MB	Built-in 56K modem/LAN	NiMH	Win XP HE/Pro	1-year
F3950	XE3	Pentium III 933-MHz	128 MB	14.1" XGA TFT	20 GB	8X max DVD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3952	XE3	Pentium III 933-MHz	128 MB	15.0" XGA TFT	20 GB	8X max DVD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3460	XE3	Pentium III 1.06-GHz	128 MB	14.1" XGA TFT	10 GB	24X max CD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3954	XE3	Pentium III 1.06-GHz	256 MB	14.1" XGA TFT	20 GB	8X max DVD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3955	XE3	Pentium III 1.06-GHz	256 MB	14.1" XGA TFT	30 GB	8X max DVD+ 8X/4X/24X CD-RW	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3457	XE3	Pentium III 1.13-GHz	256 MB	14.1" XGA TFT	20 GB	8X max DVD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
Multimedia	sKUs³ — V	VW Omnibook	1								
F3951	XE3	Pentium III 933-MHz	128 MB	14.1" XGA TFT	20 GB	8X/4X/24X CD-RW	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3953	XE3	Pentium III 933-MHz	256 MB	15.0" SXGA+ TFT	20 GB	8X max DVD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3456	XE3	Pentium III 1.06-GHz	256 MB	15.0" XGA TFT	20 GB	8X max DVD	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3956	XE3	Pentium III 1.06-GHz	256 MB	15.0" SXGA+ TFT	30 GB	8X max DVD+ 8X/4X/24X CD-RW	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year
F3458	XE3	Pentium III 1.13-GHz	256 MB	15.0" XGA TFT	30 GB	8X max DVD+ 8X/4X/24X CD-RW	8–48 MB	Built-in 56K modem/LAN	9-cell Lilon	Win XP HE/Pro	1-year

warranty

A one-year, worldwide limited warranty exists on hardware, battery, and accessories plus a full range of flexible warranty options, upgrades and Supportpacks, including global support. Go to www.hp.com for information on warranty and support in your region or www.hp.com/notebooks/us/eng/products/omnibok xe3/omnibook xe3 warranty.htm for specific HP Omnibook XE3 warranty information on the U.S. Web site.

GB means 1 billion bytes for hard drive sizes.
 Win XP HE = Microsoft® Windows® Home Edition; Pro = Microsoft® Windows® XP Professional. Windows XP Professional preloaded products come with Windows 2000 recovery CD.

³ Multimedia SKUs include IEEE 1394 port.

accessories and services

memory upgrades	F1457C	64MB PC133 SDRAM Modules
	F3495A	128MB PC133 SDRAM Modules
	F3496A	256MB PC133 SDRAM Modules
	F2298A	512MB PC133 SDRAM Modules
power	F1455A	Auto/Airline Adapter
	F1781A	Ultra Slimline AC Adapter (60W)
	F2024B	9-cell Lilon Battery with up to 4-hour battery life ¹
communications	F1626B	3Com 10/100 Ethernet PC Card
	F1782A	3Com 10/100 Fast Ethernet+56K Global Modem PC Card
	F2135B	Wireless Communication Access Point
	F2136B	802.11b Wireless Communication PC Card (128-bit)
	F2196A	3Com Bluetooth PC Card
	P1980A	802.11b USB Wireless LAN
	P1981A	802.11b Wireless Access Point
security	F1645A	Kensington Lock
	F1747A	Defcon Lock
carrying cases	F1606A/7A/8A	Carrying Cases
	F1771A	Universal Carrying Case
	F1778A	Promotional Carrying Case
cables	F1469A	PS/2 Y-Adapter
port replicator	F2025B	Simple Port Replicator (not compatible with L models)
other	F2100A	USB Optical Mouse
	P1534A	HP Amplified External Speakers
	P1977A	USB Compact Flash & IBM Micro Drive Reader
hp supportpack options ²	H5487A/E	3 year, next business day on-site response
	H4530A/E	3 year, 4-hour on-site, standard business hours response
	H4531A/E	3 year, 24x7, 4-hour on-site response
	H4704A/E	3 year, return to HP
	H2742A/E	3 year, express repair
	H2730PA/PE	1 year, post warranty service, return to HP
	H4519PA/PE	lyear, post warranty service, next business day on-site

more from hp

Extend the capabilities of your notebook with mobile connectivity, and work where it's convenient. For more information, please visit www.hp.com/notebooks/us/eng/products/ wireless/index.htm

In an effort to provide customers predictable cost structures and business efficiency gain, HP offers a comprehensive set of services, including HP Consulting, HP Outsourcing, HP Support, HP Education, and HP Financing. To find more information, visit the HP Services Web site at www.hp.com/hps

Estimated battery life. Actual battery life will vary based on usage.
 Please check with your HP reseller for availability of the HP Supportpack Options.

CPU	 933-MHz to 1.13-GHz Mobile Intel Pentium III Processor-M, featuring Intel SpeedStep technology¹, or 933-MHz to 1.06-GHz Intel Mobile Celeron processor
cache	 512-KB internal L2 cache (Pentium III Processor-M) or 128-KB internal L2 cache (Celeron) 32-KB internal L1 cache
memory	 128, or 256 MB of 133-MHz SDRAM standard (PC133) Maximum system memory: 1024 MB (two slots available for memory modules; two 512-MB modules must be used to achieve 1024 MB) (144-PIN/3.3V; 1.25" slots)
mass storage	 Industry-standard 30-, 20-, or 10-GB Enhanced-IDE hard disk drive² Built-in 3.5-inch (8.9-cm), 1.44-MB floppy disk drive (3-mode support) Built-in 24X-maximum-speed CD-ROM, 8X-maximum-speed DVD-ROM, 8Xx4Xx24X-maximum-speed CD-RW, or 8X-maximum-speed DVD/8Xx4Xx24X-maximum-speed CD-RW combo drive
display	 15-inch (38.1-cm) diagonal 1400 x 1050 SXGA+ TFT display with 16M colours or 15-inch (38.1-cm) diagonal 1024 x 768 XGA TFT display with 16M colours or 14.1-inch (35.8-cm) diagonal 1024 x 768 XGA TFT display with 16M colours
video	 Intel 830MG graphics controller 8-48 MB video memory (shared with main system memory) Video memory dynamically allocated based on application needs Core: 128-bit 2D, 32-bit 3D, 8-bit Stencil, 100- to 166-MHz Simultaneous LCD/CRT, LCD/TV, or TV/CRT operation capability Optimised hardware motion compensation TV-out support (composite)
external video resolution/ maximum colours/ refresh rate	 800 x 600 / 16M colours / 85Hz 1024 x 768 / 16M colours / 85Hz 1280 x 1024 / 16M colours / 85Hz 1600 x 1200 / 16M colours / 85Hz 1800 x 1440 / 16M colours / 85Hz
audio	 16-bit Sound Blaster Pro-compatible stereo sound Stereo sound via headphone-out 3D-enhanced PCI bus audio Polk Audio speakers Built-in microphone-in port Supports CD-Play while system is off (except L models)
ports	 Two Universal Serial Bus (USB) ports Parallel port: 25-pin bidirectional ECP and EPP 4-Mbps IrDA³-compliant infrared port (except L models) PS/2 keyboard/mouse port (Y-adapter compatible) IEEE 1394 port (on selected models) Headphone-out and microphone-in ports VGA: 15-pin Composite TV-out RJ-11 modem jack RJ-45 LAN jack Docking port: supports optional simple port replicator (except L models) (Note: A USB-to-serial converter provides the functionality of an integrated serial port.)

Dual-speed processor; runs full speed from AC power, reduced speeds from battery operation.

GB means 1 billion bytes for hard drive sizes.

Reg. U.S. Patent & Trademark Office.

PC system features (continued)

communications	• Integrated 56-Kbps¹ modem + Ethernet 10/100 LAN or
	Integrated 56-Kbps, V.90-compatible, worldwide-capable modem
power/controls	 Universal AC adapter: 100- to 240-Vac (50- to 60-Hz) input; 19-Vdc, 3.16A output Built-in smart rechargeable 9-cell Lithium-lon (Lilon) battery with 3- to 4-hour run time² or built-in rechargeable 9-cell Nickel-Metal Hydride (NiMH) battery with 2- to 3-hour run time² Approximate 2-hour recharge time Suspend/resume/save-to-disk feature Auto turn-on on dock Low-battery warning CD player buttons (previous, play/pause, stop/eject, next, volume-up/down) (except L models) Status LCD (except L models) Four one-touch, user-programmable quick-launch buttons ACPI 2.0- and Energy Star-compliant
PC card slots	One Type III or two Type II PC Card slots CardBus-enabled
keyboard and pointing device	 87-/88/-key full size keyboard (with 101/102 key emulation); supports Windows keys Embedded numeric keypad 12 function [Fn] keys Touch pad with on/off and scroll up/down button Four one-touch, user-programmable buttons
weight	 3.36 kg (7.4 lb) to 3.45 kg (7.6 lb) with 14.1" display 3.49 kg (7.7 lb) to 3.58 kg (7.9 lb) with 15" display
dimensions	• 33.10 x 27.33 x 4.04 cm (13.03 x 10.76 x 1.59 in) with 14.1" display

 ⁵⁶Kbps refers to server download speed only. Download speeds of 56Kbps are currently unavailable in the U.S.; upload speeds are limited to 33.6 Kbps. Maximum transmission rates will vary according to line conditions and country regulations.
 Estimated battery life. Actual battery life will vary based on usage.

PC management features

desktop management	Desktop Management Interface (DMI) 2.0-compliantHP Toptools
security	User and administrator password Kensington Microsaver lock slot
	System passwords DMI-accessible electronic serial number

operating system	Microsoft Windows XP Home Edition preloaded or
	• Microsoft Windows XP Professional Edition preloaded (with Microsoft Windows 2000 on recovery CD)
preinstalled software	Microsoft Internet Explorer 6.0
	Microsoft Outlook Express 6.0
	Microsoft Fax (Windows XP/Windows 2000)
	QuickLink II Fax (Windows 98 only)
	Microsoft Firewall
	Symantec Norton AntiVirus 2002
	• InterVideo WinDVD 2001 (DVD systems) (version 3.1)
	 VERITAS HP RecordNow (CD-RW systems) (version 3.1)
	• Adobe® Acrobat® Reader 5.0
	 HP e-diags and e-diags for Windows system diagnostic tools
	Touch pad tap and scroll functionality by Synaptics
	 QuickStroke Chinese character recognition software by Synaptics (Taiwan and Hong Kong only; traditional Chinese only)
	HP display settings
	Online user's handbook
	• HP Toptools

service and support: no time for downtime

Two additional important features come standard with the HP Omnibook XE3 notebook PC: HP's legendary quality and reliability. These features, combined with our award-winning HP Customer Care service and support, are your assurance that your HP Omnibook notebook PC won't let you down. As an HP Omnibook owner, you can count on:

- A one-year, worldwide, parts-and-labour limited warranty
- A one-year, worldwide warranty on battery and accessories
- Two-year and three-year warranty extensions available on all HP Omnibook XE3 models
- Next day on-site upgrades for up to three years (available in some countries)
- · Centralised, worldwide BIOS and driver update service
- Proactive notification e-mail service
- Service repair tracking
- Customer Care electronic support available on the Web at www.hp.com/notebooks

For the latest information on HP Omnibook notebook PCs and their optional accessories, visit HP's Web site at www.hp.com/notebooks

For more information, call your local Hewlett-Packard sales office or your nearest HP authorised dealer:

hp customer information centre (for product information)

Australia HP Online

ACN 004 394 763

Philippines +63 2 636 9888 Singapore +65 6278 8100

1800 278 8100 (local toll free calls only)

Taiwan +886 2 2717 0055 Thailand +66 2 353 9000 Vietnam +848 823 6215

For the following countries, please fax your queries to: +65 6275 6707

• Bangladesh • Brunei • Cambodia • Pakistan • Sri Lanka

hp customer care centre (for post-sales service)

+61 3 8877 8000 Australia +86 10 6564 5959 China Hong Kong +852 800 96 7729 India +91 11 682 6035 Indonesia +62 21 350 3408 +82 2 3270 0700 Korea +60 3 2695 2566 Malaysia +64 9 356 6640 New Zealand +63 2 867 3551 Philippines Singapore +65 6272 5300 +886 2 2717 0055 Taiwan Thailand +66 2 353 9000 +848 823 4530 Vietnam

- For more information on support, visit: http://www.hp.com/go/support
- For more information on HP Supportpack, visit: http://www.asiapac.hp.com/supportpack
- For more information on HP Genuine Parts, visit: http://www.hp.com/go/hpparts











Windows.XP Ready PC

HP PCs use genuine Microsoft® Windows® http://www.microsoft.com/piracy/howtotell

*This PC meets the minimum hardware requirements to run Microsoft Windows XP. Hardware drivers, if necessary, are available from Hewlett-Packard upon the release of Windows XP. Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

HP is committed to designing products and services that are accessible to everyone, including people with disabilities. To learn more about the general accessibility features of HP products, please visit www.hp.com/accessibility.

As an ENERGY STAR partner, HP has determined that this product meets the guidelines for energy efficiency. Energy Star is a U.S. registered service mark of the U.S. Environmental Protection Agency. Adobe and Acrobat are trademarks of Adobe Systems Incorporated. Intel, the Intel Inside logo, and Pentium are U.S. registered trademarks and Celeron and SpeedStep are U.S. trademarks of Intel Corporation. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation.

Hewlett-Packard continually strives to improve the quality of its products.

All information is subject to change without any prior notice (E.&O.E).

Photo is for illustrative purposes only, actual product may differ from time to time.

For specific warranties, please check with your local country resellers.

All rights reserved. Reproduction, adaptation, or translation without prior written permission is prohibited except as allowed under the copyright laws.

© Copyright Hewlett-Packard Company 2002. April 2002, Singapore (rev.3) P/N: 5980-7782EEP

